PHYSICIAN'S REPORT—CHILD CARE CENTERS (CHILD'S PRE-ADMISSION HEALTH EVALUATION)

PART A	- PARENT'S (BE COMPLETED	BY PARENT)		
		•			for readiness to enter	
(NAME OF CHILD)		(BIRT	H DATE)	-		
(NAME OF CHILD CARE CENTER/SCHOOL	This	Child Care Cente	r/School provides	a program which exte	ends from :	
a.m./p.m. to a.m./p.m. ,	days a week.					
Please provide a report on above-named report to the above-named Child Care C		rm below. I hereb	y authorize releas	e of medical informa	tion contained in this	
	(SIGNATURE OF PARENT, GUARDIAN, OR CHILD'S AUTHORIZED REPRESENTATIVE) (TODAY'S DATE)					
PART B -	PHYSICIAN'S	REPORT (TO	BE COMPLETED	BY PHYSICIAN)		
Problems of which you should be aware:						
Hearing:	Allergies: medicine:					
Vision:	Insect stings:					
Developmental:		Fo	od:			
Language/Speech:	Asthma:					
Dental:						
Other (Include behavioral concerns):						
Comments/Explanations:						
MEDICATION PRESCRIBED/SPECIAL ROUTINE	S/RESTRICTIONS FOR	R THIS CHILD:				
IMMUNIZATION HISTORY: (Fill	out or enclose	California Im	munization Re	cord, PM-298.)		
· .						
VACCINE	1st 2nd		E EACH DOSE V		AS GIVEN 4th 5th	
POLIO (OPV OR IPV)	/ /	/ /	/ /	/ /	/ /	
DTP/DTaP/ (DIPHTHERIA, TETANUS AND [ACELLULAR] PERTUSSIS OR TETANUS AND DIPHTHERIA ONLY)	/ /	/ /	/ /	/ /	/ /	
MMR (MEASLES, MUMPS, AND RUBELLA)	/ /	/ /		,		
(REQUIRED FOR CHILD CARE ONLY) HIB MENINGITIS (HAEMOPHILUS B)	/ /	/ /	/ /	/ /		
HEPATITIS B	/ /	/ /	/ /			
VARICELLA (CHICKENPOX)	/ /	/ /				
Risk factors not present; TB s Risk factors present; Mantoux previous positive skin test doc Communicable TB diseas I have have not Physician:	kin test not required TB skin test performanted). See not present. reviewed the a	d. med (unless) bove information (with the parent/gua			
Address:	Date	Date This Form Completed: Signature				
Telephone:		Signa	ature			

LIC 701 (8/08) (Confidential) PAGE 1 OF 2

RISK FACTORS FOR TB IN CHILDREN:

- * Have a family member or contacts with a history of confirmed or suspected TB.
- * Are in foreign-born families and from high-prevalence countries (Asia, Africa, Central and South America).
- * Live in out-of-home placements.
- * Have, or are suspected to have, HIV infection.
- * Live with an adult with HIV seropositivity.
- * Live with an adult who has been incarcerated in the last five years.
- * Live among, or are frequently exposed to, individuals who are homeless, migrant farm workers, users of street drugs, or residents in nursing homes.
- Have abnormalities on chest X-ray suggestive of TB.
- Have clinical evidence of TB.

Consult with your local health department's TB control program on any aspects of TB prevention and treatment.

LIC 701 (8/08) (Confidential) PAGE 2 of 2